



## METAL HANDLING



Justrite Safety Group







# Your Safety Our Priority

## The Company

### **Our History**

The story of Sall began in 1975 in Cavriago, in a small artisanal workshop specialising in metalworking and the production of industrial containers. During the 1980s, the company expanded its product range by designing innovative solutions for workplace safety. This unstoppable growth led to Sall's acquisition by Justrite Safety Group in 2017, a global leader in industrial safety.

### **Our Priorities**

- Ensuring the safety of people and the environment
- Products compliant with EU standards and regulations
- Comfort, ease of use, and unique design to enhance effectiveness and simplify every operation.

All our standard products and customised solutions are designed and manufactured in compliance with current regulations and are tested to provide the highest level of safety for people, workplaces, and the environment.

## The Group

### **A Growing Family**

In recent years, we have expanded Justrite Safety Group by acquiring other strong and valuable companies. These exciting developments have resulted in: an unrivalled safety portfolio, consolidated expertise in environmental protection, a global network of brands, and unwavering dedication to the safety of our customers.

### **Start with the Essential**

The essence of our group is captured in a single slogan: *Start with the Essential<sup>SM</sup>*.

At Justrite, everything begins with safety. Protecting people, property, and the planet is our first and foremost responsibility.

Find out more on our website [www.sall.it](http://www.sall.it)

## Justrite Brands



# PRODUCT INDEX BY CATEGORY



## TIPPING CONTAINERS & BOTTOM-OPENING CONTAINERS

### a. Tipping scrap containers

1. Tipping scrap containers with manual release .....	p. 7
2. Tipping scrap containers with dynamic release .....	p. 12
3. Mesh tipping scrap containers .....	p. 12
4. Tipping bins .....	p. 13
5. Tipping scrap containers for forklifts with rotating forks .....	p. 13

### b. Bottom-opening containers

1. Containers with a single opening bottom panel .....	p. 15
2. Containers with double opening bottom panels .....	p. 16



## CONTAINERS FOR INDUSTRY

### a. Sheet metal containers

1. Steel sheet metal containers .....	p. 18
2. Sheet metal containers with flat bar skids .....	p. 22
3. Open-front containers .....	p. 22
4. Foldable, stackable sheet metal containers .....	p. 23
5. Foldable sheet metal containers with lids .....	p. 23

### b. Mesh containers

1. Steel mesh containers .....	p. 25
2. Mesh containers with wheels .....	p. 29
3. Gitterbox model mesh containers .....	p. 30
4. Foldable, stackable mesh containers .....	p. 30
5. Foldable mesh side panels .....	p. 30
6. Multifunctional containers .....	p. 31



## METAL PALLETS AND PLATFORMS


### a. Open post pallets

1. Open post pallets with feet .....	p. 33
2. Open post pallets with skids .....	p. 33

3. Open post pallets with removable wooden deck.....	p. 34
4. Pallets with detachable posts.....	p. 34
5. Bar storage pallets.....	p. 35
6. Foldable, stackable pallets.....	p. 36
7. Sides for wooden pallets.....	p. 36
8. Fabric storage pallets .....	p. 36

**b. Metal platforms**

1. Metal platforms with 2 skids .....	p. 38
2. Metal platforms with 3 skids.....	p. 39
3. Reversible double-bottom metal platforms .....	p. 39



## CABINETS AND STORAGE UNITS FOR GAS CYLINDERS

**a. Boxes and storage units for gas cylinders**

1. Safety storage units for compressed gas cylinders.....	p. 41
2. Safety cabinets for compressed gas cylinders .....	p. 42

**b. Pallets for transporting gas cylinders**

1. Pallets for transporting compressed gas cylinders.....	p. 44
2. Trolleys and supports for compressed gas cylinders .....	p. 44



## CONTAINERS FOR WASTE COLLECTION

**a. Big bag holders**

1. Big bag holder pallets.....	p. 46
2. Big bag holders with collection tray.....	p. 49
3. Big bag holders with lid.....	p. 49

## TIPPING CONTAINERS & BOTTOM- OPENING CONTAINERS

### a. *Tipping scrap containers*

The ideal solution for the collection, transport, and disposal of industrial waste, shavings, scraps, and debris in a safe and efficient manner. All models in the Sall container line are equipped with safety features, including an anti-tipping mechanism and an automatic unloading system for forklift operations.



## Tipping scrap containers

Tipping scrap containers with manual release



The best solution for the safe collection, handling, and unloading of waste, scraps, and debris.



- Simple and safe emptying system activated by a lever, remotely controlled by the operator (without leaving the forklift)
- Easy to manoeuvre and position thanks to four large diameter wheels (2 fixed, 2 swivel)
- Wide range of sizes available
- Consistent performance over time
- On request: settling tank and ball valve, removable or hinged lid, independent hydraulic cylinder for gradual tipping.



A full range of colours is available, corresponding to the different types of waste.




DIMENSIONS OF  
FORKLIFT BOXES



## Tipping scrap containers

Tipping scrap containers with manual release




ITEM CODE	DIMENSIONS (mm)					Capacity (kg)	Volume (litres)
	A	B	C	D	E		
LT 0280	970	750	700	890	790	600	280




Item code  
LT 0280




Item code  
LT 0300



ITEM CODE	DIMENSIONS (mm)					Capacity (kg)	Volume (litres)
	A	B	C	D	E		
LT 0300	1350	820	650	490	520	600	285



ITEM CODE	DIMENSIONS (mm)					Capacity (kg)	Volume (litres)
	A	B	C	D	E		
LT 0500	1350	920	910	700	740	1000	490
LT 0750	1350	1070	1040	825	800	1350	755



ITEM CODE	DIMENSIONS (mm)					Capacity (kg)	Volume (litres)
	A	B	C	D	E		
LT 1000	1550	1070	1210	970	920	1700	1070
LT 1350	1550	1320	1210	970	920	2000	1320
LT 1600	1550	1550	1210	970	920	2000	1610
LT 2000	1550	1950	1210	970	920	2000	2040



Item code  
LT 1600

## Tipping scrap containers

Tipping scrap containers with manual release

### ACCESSORIES AVAILABLE UPON REQUEST:


#### 1 SETTLING TANK WITH 4MM HOLE MESH GRID AND BALL VALVE FOR SEPARATING LIQUIDS FROM SOLIDS.

All tipping containers are equipped with:

- Sleeve
- 1" cap
- Nut and corresponding M12 closure bolt on the tank bottom.

At any time, it will be simple and immediate to:

- Unscrew the cap and discharge accumulated liquids
- Attach the ball valve (accessory available separately)
- Attach the settling grid (accessory available separately).



Item code  
VR




#### 2 INDEPENDENT HYDRAULIC CYLINDER FOR GRADUAL TIPPING OF SCRAP CONTAINERS

The installation of the cylinders does not increase the dimensions, as they are mounted within the container's footprint.

For larger models, we recommend applying a hydraulic cylinder on both sides to ensure better balance during unloading.

For models from LT1600 to LT2000, the application of 2 hydraulic cylinders is required (see image item code CO60-380).



Item code  
CO60-380

#### 3 FIXED ADDITIONAL MESH SIDES FOR HANDLING BULKY MATERIALS

Fixed sides increase the capacity of the scrap container. When collecting bulky materials such as paper, cardboard, or boxes, the additional fixed sides provide the container with greater collection volume.


Available in mesh or sheet metal, with standard heights of 300 and 500 mm, or customised to your needs.



! On request, all containers can be made of stainless steel or hot-dip galvanized.

## Tipping scrap containers



Tipping scrap containers with manual release



Item code  
LT 0450





Item code  
LT 0460



Products that comply with EU requirements regarding safety, health, and environmental protection.

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)	Volume (litres)
	A	B	C	D	E		
LT 0460	1175	1120	830	210	680	1000	438



Item code  
LT 0470

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)	Volume (litres)
	A	B	C	D	E		
LT 0470	1205	1260	1075	210	815	1000	675



## **Tipping scrap containers**

Tipping scrap containers with manual release

ACCESSORIES AVAILABLE UPON REQUEST:

**1 HINGED LID, SPLIT IN HALF**



**2 REMOVABLE SHEET METAL LID WITH TWO HANDLES**



**3 RUBBER ANTI-VIBRATION PLUGS TO DAMPEN IMPACT DURING TIPPING**



**4 FORK LIFT BOXES WITH REINFORCEMENT COLLAR**



**5 SETTLING TANK WITH 4MM HOLE MESH GRID AND BALL VALVE FOR SEPARATING LIQUIDS FROM SOLIDS**



Item code  
VR



## Tipping scrap containers

Tipping scrap containers with dynamic release



Products that comply with EU requirements regarding safety, health, and environmental protection.




**Rear Release Button**  
Allows the container to tip when pressed against a surface.

**Standard Base Support**  
Designed with an "ALL IN" philosophy to keep all components of the operating system within the container's footprint.



**Front Release Lever**  
Manually operated lever that enables the tipping of the container.




ITEM CODE	DIMENSIONS (mm)				Volume (litres)
	A	B	C	D	
<b>SDC 550</b>	1400	1000	1100	890	550
<b>SDC 750</b>	1400	1300	1100	890	750
<b>SDC 1000</b>	1570	1300	1250	1040	1000

## Tipping scrap containers

Mesh tipping scrap containers



ITEM CODE	DIMENSIONS (mm)				Capacity (kg)	Volume (litres)
	A	B	C	D		
<b>LTR 1350</b>	1550	1320	1210	970	2000	1320
<b>LTR 1600</b>	1550	1550	1210	970	2000	1610
<b>LTR 2000</b>	1550	1950	1210	970	2000	2040



Products that comply with EU requirements regarding safety, health, and environmental protection.




**Item code**  
**LTR 2000**

## Tipping scrap containers Tipping bins



ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SL 164 R</b>	1420	1270	570	1000



- Suitable for bulk materials of all types and snow
- Particularly robust structure
- Watertight tank
- Extremely manoeuvrable
- Equipped with anti-slip safety chain
- Tipping operated via rope from the forklift.

**Item code  
SL 164R**



Products that comply with EU requirements regarding safety, health, and environmental protection.

## Tipping scrap containers Tipping scrap containers for forklifts with rotating forks



**Item code  
SL 167 CR**



ITEM CODE	DIMENSIONS (mm)				Capacity (kg)	Volume (litres)
	A	B	C	D		
<b>SL 167 CR *</b>	1130	1130	1010	240	1500	1145

\* With wheels and lid.



- Ideal for the collection and disposal of all types of waste
- Emptying by tipping using forklift trucks with rotating forks.



ITEM CODE	DIMENSIONS (mm)				Capacity (kg)	Volume (litres)
	A	B	C	D		
<b>SL 165P</b>	1210	1100	1080	100	1500	1350
<b>SL 165PCR *</b>	1210	1100	1080	240	1500	1350

\* With wheels.

**Item code  
SL 165P**



## TIPPING CONTAINERS & BOTTOM- OPENING CONTAINERS

### b. *Bottom- opening containers*

The best CE-certified solution for collecting, storing, transporting, and unloading materials, production waste, and industrial refuse efficiently and safely using a forklift.



## Bottom-opening containers

Containers with a single opening bottom panel




**Item code  
SL 154 A**




Products that comply with EU requirements regarding safety, health, and environmental protection.

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SL 154 A</b>	1000	800	650	100	110	1300
<b>SL 154 B</b>	1200	1000	650	100	110	1400
<b>SL 154 C</b>	1500	1000	1000	100	110	1400



**Item code  
SL 150 BP**

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SL 150 AP</b>	1200	800	800	130	110	1350
<b>SL 150 BP</b>	1200	1000	800	130	110	1350
<b>SL 150 CP</b>	1500	1000	800	130	110	1350



ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SL 150 AR</b>	1200	800	800	184	110	1350
<b>SL 150 BR</b>	1200	1000	800	184	110	1350
<b>SL 150 CR</b>	1500	1000	800	184	110	1350



**Item code  
SL 150 BR**

## **Bottom-opening containers**

Containers with double opening bottom panels



**Item code**  
**SL 064 H1000**



**Item code**  
**SL 064 H650**



**Item code**  
**SL 064 H1300**

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SL 064 H650</b>	1000	800	650	110	110	2000
<b>SL 064 H1000</b>	1000	800	1000	110	110	2000
<b>SL 064 H1300</b>	1000	800	1300	110	110	2000



Products that comply with EU requirements regarding safety, health, and environmental protection.




**Item code**  
**SL 153 A**



**Item code**  
**SL 153 B**

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SL 153 A</b>	1500	1000	650	110	110	2000
<b>SL 153 B</b>	2000	1000	1000	110	110	2000



# CONTAINERS FOR INDUSTRY

## a. *Sheet metal containers*

The Sall sheet metal containers allow for the most efficient handling and storage of large volumes of goods. They are available in a wide range of models, including airtight versions, with different shapes and sizes to meet any requirement.





**Item code**  
**MSL 26 F**



On request:

- Welded cardholder
- Embossed or painted text, trademarks, and logos.

**Sheet metal containers - With boxed foot (F)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>MSL 14 F</b>	<b>MSM 14 F</b>	<b>MSH 14 F</b>
800 x 600	500	<b>MSL 15 F</b>	<b>MSM 15 F</b>	<b>MSH 15 F</b>
1000 x 800	400	<b>MSL 24 F</b>	<b>MSM 24 F</b>	<b>MSH 24 F</b>
1000 x 800	500	<b>MSL 25 F</b>	<b>MSM 25 F</b>	<b>MSH 25 F</b>
1000 x 800	650	<b>MSL 26 F</b>	<b>MSM 26 F</b>	<b>MSH 26 F</b>
1000 x 800	800	<b>MSL 28 F</b>	<b>MSM 28 F</b>	<b>MSH 28 F</b>
1200 x 800	400	<b>MSL 34 F</b>	<b>MSM 34 F</b>	<b>MSH 34 F</b>
1200 x 800	500	<b>MSL 35 F</b>	<b>MSM 35 F</b>	<b>MSH 35 F</b>
1200 x 800	650	<b>MSL 36 F</b>	<b>MSM 36 F</b>	<b>MSH 36 F</b>
1200 x 800	800	<b>MSL 38 F</b>	<b>MSM 38 F</b>	<b>MSH 38 F</b>
1200 x 1000	400	<b>MSL 44 F</b>	<b>MSM 44 F</b>	<b>MSH 44 F</b>
1200 x 1000	500	<b>MSL 45 F</b>	<b>MSM 45 F</b>	<b>MSH 45 F</b>
1200 x 1000	650	<b>MSL 46 F</b>	<b>MSM 46 F</b>	<b>MSH 46 F</b>
1200 x 1000	800	<b>MSL 48 F</b>	<b>MSM 48 F</b>	<b>MSH 48 F</b>
1200 x 1000	1000	<b>MSL 410 F</b>	<b>MSM 410 F</b>	<b>MSH 410 F</b>
1500 x 800	400	<b>MSL 54 F</b>	<b>MSM 54 F</b>	<b>MSH 54 F</b>
1500 x 800	500	<b>MSL 55 F</b>	<b>MSM 55 F</b>	<b>MSH 55 F</b>
1500 x 800	650	<b>MSL 56 F</b>	<b>MSM 56 F</b>	<b>MSH 56 F</b>
1500 x 800	800	<b>MSL 58 F</b>	<b>MSM 58 F</b>	<b>MSH 58 F</b>
1500 x 800	1000	<b>MSL 510 F</b>	<b>MSM 510 F</b>	<b>MSH 510 F</b>
1500 x 1000	400	<b>MSL 64 F</b>	<b>MSM 64 F</b>	<b>MSH 64 F</b>
1500 x 1000	500	<b>MSL 65 F</b>	<b>MSM 65 F</b>	<b>MSH 65 F</b>
1500 x 1000	650	<b>MSL 66 F</b>	<b>MSM 66 F</b>	<b>MSH 66 F</b>
1500 x 1000	800	<b>MSL 68 F</b>	<b>MSM 68 F</b>	<b>MSH 68 F</b>
1500 x 1000	1000	<b>MSL 610 F</b>	<b>MSM 610 F</b>	<b>MSH 610 F</b>



**Item code**  
**MSL 25 SA**



On request:

- Welded cardholder
- Embossed or painted text,  
trademarks, and logos.

**Sheet metal containers - With long side skid (SA)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>MSL 14 SA</b>	<b>MSM 14 SA</b>	<b>MSH 14 SA</b>
800 x 600	500	<b>MSL 15 SA</b>	<b>MSM 15 SA</b>	<b>MSH 15 SA</b>
1000 x 800	400	<b>MSL 24 SA</b>	<b>MSM 24 SA</b>	<b>MSH 24 SA</b>
1000 x 800	500	<b>MSL 25 SA</b>	<b>MSM 25 SA</b>	<b>MSH 25 SA</b>
1000 x 800	650	<b>MSL 26 SA</b>	<b>MSM 26 SA</b>	<b>MSH 26 SA</b>
1000 x 800	800	<b>MSL 28 SA</b>	<b>MSM 28 SA</b>	<b>MSH 28 SA</b>
1200 x 800	400	<b>MSL 34 SA</b>	<b>MSM 34 SA</b>	<b>MSH 34 SA</b>
1200 x 800	500	<b>MSL 35 SA</b>	<b>MSM 35 SA</b>	<b>MSH 35 SA</b>
1200 x 800	650	<b>MSL 36 SA</b>	<b>MSM 36 SA</b>	<b>MSH 36 SA</b>
1200 x 800	800	<b>MSL 38 SA</b>	<b>MSM 38 SA</b>	<b>MSH 38 SA</b>
1200 x 1000	400	<b>MSL 44 SA</b>	<b>MSM 44 SA</b>	<b>MSH 44 SA</b>
1200 x 1000	500	<b>MSL 45 SA</b>	<b>MSM 45 SA</b>	<b>MSH 45 SA</b>
1200 x 1000	650	<b>MSL 46 SA</b>	<b>MSM 46 SA</b>	<b>MSH 46 SA</b>
1200 x 1000	800	<b>MSL 48 SA</b>	<b>MSM 48 SA</b>	<b>MSH 48 SA</b>
1200 x 1000	1000	<b>MSL 410 SA</b>	<b>MSM 410 SA</b>	<b>MSH 410 SA</b>
1500 x 800	400	<b>MSL 54 SA</b>	<b>MSM 54 SA</b>	<b>MSH 54 SA</b>
1500 x 800	500	<b>MSL 55 SA</b>	<b>MSM 55 SA</b>	<b>MSH 55 SA</b>
1500 x 800	650	<b>MSL 56 SA</b>	<b>MSM 56 SA</b>	<b>MSH 56 SA</b>
1500 x 800	800	<b>MSL 58 SA</b>	<b>MSM 58 SA</b>	<b>MSH 58 SA</b>
1500 x 800	1000	<b>MSL 510 SA</b>	<b>MSM 510 SA</b>	<b>MSH 510 SA</b>
1500 x 1000	400	<b>MSL 64 SA</b>	<b>MSM 64 SA</b>	<b>MSH 64 SA</b>
1500 x 1000	500	<b>MSL 65 SA</b>	<b>MSM 65 SA</b>	<b>MSH 65 SA</b>
1500 x 1000	650	<b>MSL 66 SA</b>	<b>MSM 66 SA</b>	<b>MSH 66 SA</b>
1500 x 1000	800	<b>MSL 68 SA</b>	<b>MSM 68 SA</b>	<b>MSH 68 SA</b>
1500 x 1000	1000	<b>MSL 610 SA</b>	<b>MSM 610 SA</b>	<b>MSH 610 SA</b>



**Item code**  
**MSL 26 FDA**



On request:

- Welded cardholder
- Embossed or painted text, trademarks, and logos.

**Sheet metal containers - With boxed foot (F) + long side door (DA)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>MSL 14 FDA</b>	<b>MSM 14 FDA</b>	<b>MSH 14 FDA</b>
800 x 600	500	<b>MSL 15 FDA</b>	<b>MSM 15 FDA</b>	<b>MSH 15 FDA</b>
1000 x 800	400	<b>MSL 24 FDA</b>	<b>MSM 24 FDA</b>	<b>MSH 24 FDA</b>
1000 x 800	500	<b>MSL 25 FDA</b>	<b>MSM 25 FDA</b>	<b>MSH 25 FDA</b>
1000 x 800	650	<b>MSL 26 FDA</b>	<b>MSM 26 FDA</b>	<b>MSH 26 FDA</b>
1000 x 800	800	<b>MSL 28 FDA</b>	<b>MSM 28 FDA</b>	<b>MSH 28 FDA</b>
1200 x 800	400	<b>MSL 34 FDA</b>	<b>MSM 34 FDA</b>	<b>MSH 34 FDA</b>
1200 x 800	500	<b>MSL 35 FDA</b>	<b>MSM 35 FDA</b>	<b>MSH 35 FDA</b>
1200 x 800	650	<b>MSL 36 FDA</b>	<b>MSM 36 FDA</b>	<b>MSH 36 FDA</b>
1200 x 800	800	<b>MSL 38 FDA</b>	<b>MSM 38 FDA</b>	<b>MSH 38 FDA</b>
1200 x 1000	400	<b>MSL 44 FDA</b>	<b>MSM 44 FDA</b>	<b>MSH 44 FDA</b>
1200 x 1000	500	<b>MSL 45 FDA</b>	<b>MSM 45 FDA</b>	<b>MSH 45 FDA</b>
1200 x 1000	650	<b>MSL 46 FDA</b>	<b>MSM 46 FDA</b>	<b>MSH 46 FDA</b>
1200 x 1000	800	<b>MSL 48 FDA</b>	<b>MSM 48 FDA</b>	<b>MSH 48 FDA</b>
1200 x 1000	1000	<b>MSL 410 FDA</b>	<b>MSM 410 FDA</b>	<b>MSH 410 FDA</b>
1500 x 800	400	<b>MSL 54 FDA</b>	<b>MSM 54 FDA</b>	<b>MSH 54 FDA</b>
1500 x 800	500	<b>MSL 55 FDA</b>	<b>MSM 55 FDA</b>	<b>MSH 55 FDA</b>
1500 x 800	650	<b>MSL 56 FDA</b>	<b>MSM 56 FDA</b>	<b>MSH 56 FDA</b>
1500 x 800	800	<b>MSL 58 FDA</b>	<b>MSM 58 FDA</b>	<b>MSH 58 FDA</b>
1500 x 800	1000	<b>MSL 510 FDA</b>	<b>MSM 510 FDA</b>	<b>MSH 510 FDA</b>
1500 x 1000	400	<b>MSL 64 FDA</b>	<b>MSM 64 FDA</b>	<b>MSH 64 FDA</b>
1500 x 1000	500	<b>MSL 65 FDA</b>	<b>MSM 65 FDA</b>	<b>MSH 65 FDA</b>
1500 x 1000	650	<b>MSL 66 FDA</b>	<b>MSM 66 FDA</b>	<b>MSH 66 FDA</b>
1500 x 1000	800	<b>MSL 68 FDA</b>	<b>MSM 68 FDA</b>	<b>MSH 68 FDA</b>
1500 x 1000	1000	<b>MSL 610 FDA</b>	<b>MSM 610 FDA</b>	<b>MSH 610 FDA</b>



**Item code**  
**MSL 26 SADA**



On request:

- Welded cardholder
- Embossed or painted text, trademarks, and logos.

**Sheet metal containers - With long side skid (SA) + long side door (DA)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>MSL 14 SADA</b>	<b>MSM 14 SADA</b>	<b>MSH 14 SADA</b>
800 x 600	500	<b>MSL 15 SADA</b>	<b>MSM 15 SADA</b>	<b>MSH 15 SADA</b>
1000 x 800	400	<b>MSL 24 SADA</b>	<b>MSM 24 SADA</b>	<b>MSH 24 SADA</b>
1000 x 800	500	<b>MSL 25 SADA</b>	<b>MSM 25 SADA</b>	<b>MSH 25 SADA</b>
1000 x 800	650	<b>MSL 26 SADA</b>	<b>MSM 26 SADA</b>	<b>MSH 26 SADA</b>
1000 x 800	800	<b>MSL 28 SADA</b>	<b>MSM 28 SADA</b>	<b>MSH 28 SADA</b>
1200 x 800	400	<b>MSL 34 SADA</b>	<b>MSM 34 SADA</b>	<b>MSH 34 SADA</b>
1200 x 800	500	<b>MSL 35 SADA</b>	<b>MSM 35 SADA</b>	<b>MSH 35 SADA</b>
1200 x 800	650	<b>MSL 36 SADA</b>	<b>MSM 36 SADA</b>	<b>MSH 36 SADA</b>
1200 x 800	800	<b>MSL 38 SADA</b>	<b>MSM 38 SADA</b>	<b>MSH 38 SADA</b>
1200 x 1000	400	<b>MSL 44 SADA</b>	<b>MSM 44 SADA</b>	<b>MSH 44 SADA</b>
1200 x 1000	500	<b>MSL 45 SADA</b>	<b>MSM 45 SADA</b>	<b>MSH 45 SADA</b>
1200 x 1000	650	<b>MSL 46 SADA</b>	<b>MSM 46 SADA</b>	<b>MSH 46 SADA</b>
1200 x 1000	800	<b>MSL 48 SADA</b>	<b>MSM 48 SADA</b>	<b>MSH 48 SADA</b>
1200 x 1000	1000	<b>MSL 410 SADA</b>	<b>MSM 410 SADA</b>	<b>MSH 410 SADA</b>
1500 x 800	400	<b>MSL 54 SADA</b>	<b>MSM 54 SADA</b>	<b>MSH 54 SADA</b>
1500 x 800	500	<b>MSL 55 SADA</b>	<b>MSM 55 SADA</b>	<b>MSH 55 SADA</b>
1500 x 800	650	<b>MSL 56 SADA</b>	<b>MSM 56 SADA</b>	<b>MSH 56 SADA</b>
1500 x 800	800	<b>MSL 58 SADA</b>	<b>MSM 58 SADA</b>	<b>MSH 58 SADA</b>
1500 x 800	1000	<b>MSL 510 SADA</b>	<b>MSM 510 SADA</b>	<b>MSH 510 SADA</b>
1500 x 1000	400	<b>MSL 64 SADA</b>	<b>MSM 64 SADA</b>	<b>MSH 64 SADA</b>
1500 x 1000	500	<b>MSL 65 SADA</b>	<b>MSM 65 SADA</b>	<b>MSH 65 SADA</b>
1500 x 1000	650	<b>MSL 66 SADA</b>	<b>MSM 66 SADA</b>	<b>MSH 66 SADA</b>
1500 x 1000	800	<b>MSL 68 SADA</b>	<b>MSM 68 SADA</b>	<b>MSH 68 SADA</b>
1500 x 1000	1000	<b>MSL 610 SADA</b>	<b>MSM 610 SADA</b>	<b>MSH 610 SADA</b>

## Sheet metal containers

Sheet metal containers with flat bar skids

Flat skid on all sides

ITEM CODE	Width x Depth (mm)	Internal height (mm)	Capacity (kg)
<b>SL407M</b>	1100 x 725	600	1500
<b>SL406M</b>	1450 x 1100	600	1500
<b>SL407P</b>	1100 x 725	600	2000
<b>SL406P</b>	1450 x 1100	600	2000



Item code  
**SL407M**



Item code  
**SL018**



Item code  
**SL011**

ITEM CODE	Width x Depth (mm)	Internal height (mm)	Capacity (kg)
<b>SL018</b>	1000 x 800	500	1000
<b>SL083</b>	1000 x 800	650	1000
<b>SL084</b>	1200 x 800	650	1000



Item code  
**SL130**

ITEM CODE	Width x Depth (mm)	Internal height (mm)	Capacity (kg)
<b>SL011</b>	800 x 600	410	600



Item code  
**SL201**

ITEM CODE	Width x Depth (mm)	Internal height (mm)	Capacity (kg)
<b>SL130</b>	800 x 500	500	1000

ITEM CODE	Width x Depth (mm)	Internal height (mm)	Capacity (kg)
<b>SL201</b>	630 x 450	230	500




## Sheet metal containers

Foldable, stackable sheet metal containers



**Item code  
SL 159**




ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SL 159</b>	1000	800	620	100	45	1000
<b>SL 160</b>	1200	800	620	100	45	1000
<b>SL 161</b>	1200	1000	820	100	45	1000
<b>SL 162</b>	1500	1000	970	100	45	1000



## Sheet metal containers

Foldable sheet metal containers with lids

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SLC 400</b>	1200	800	410	120	65	1000
<b>SLC 800</b>	1200	800	795	120	65	1000



**Item code  
SLC 800**



**Stackable both open and closed** and complete with: removable, lockable lide and grip handles on the long sides for easier opening and closing.

Five simple steps to close:





## CONTAINERS FOR INDUSTRY

### b. *Mesh containers*

A complete range of mesh containers suitable for the handling and storage of various types of goods. Sall mesh containers are particularly useful when the contents need to be clearly visible. Each item is available in different sizes to meet various needs.



On request:

- Welded cardholder
- Embossed or painted text, trademarks, and logos.

**Item code**  
**WSL 28 F**

**Mesh containers - With boxed foot (F)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>WSL 14 F</b>	<b>WSM 14 F</b>	<b>WSH 14 F</b>
800 x 600	500	<b>WSL 15 F</b>	<b>WSM 15 F</b>	<b>WSH 15 F</b>
1000 x 800	400	<b>WSL 24 F</b>	<b>WSM 24 F</b>	<b>WSH 24 F</b>
1000 x 800	500	<b>WSL 25 F</b>	<b>WSM 25 F</b>	<b>WSH 25 F</b>
1000 x 800	650	<b>WSL 26 F</b>	<b>WSM 26 F</b>	<b>WSH 26 F</b>
1000 x 800	800	<b>WSL 28 F</b>	<b>WSM 28 F</b>	<b>WSH 28 F</b>
1200 x 800	400	<b>WSL 34 F</b>	<b>WSM 34 F</b>	<b>WSH 34 F</b>
1200 x 800	500	<b>WSL 35 F</b>	<b>WSM 35 F</b>	<b>WSH 35 F</b>
1200 x 800	650	<b>WSL 36 F</b>	<b>WSM 36 F</b>	<b>WSH 36 F</b>
1200 x 800	800	<b>WSL 38 F</b>	<b>WSM 38 F</b>	<b>WSH 38 F</b>
1200 x 1000	400	<b>WSL 44 F</b>	<b>WSM 44 F</b>	<b>WSH 44 F</b>
1200 x 1000	500	<b>WSL 45 F</b>	<b>WSM 45 F</b>	<b>WSH 45 F</b>
1200 x 1000	650	<b>WSL 46 F</b>	<b>WSM 46 F</b>	<b>WSH 46 F</b>
1200 x 1000	800	<b>WSL 48 F</b>	<b>WSM 48 F</b>	<b>WSH 48 F</b>
1200 x 1000	1000	<b>WSL 410 F</b>	<b>WSM 410 F</b>	<b>WSH 410 F</b>
1500 x 800	400	<b>WSL 54 F</b>	<b>WSM 54 F</b>	<b>WSH 54 F</b>
1500 x 800	500	<b>WSL 55 F</b>	<b>WSM 55 F</b>	<b>WSH 55 F</b>
1500 x 800	650	<b>WSL 56 F</b>	<b>WSM 56 F</b>	<b>WSH 56 F</b>
1500 x 800	800	<b>WSL 58 F</b>	<b>WSM 58 F</b>	<b>WSH 58 F</b>
1500 x 800	1000	<b>WSL 510 F</b>	<b>WSM 510 F</b>	<b>WSH 510 F</b>
1500 x 1000	400	<b>WSL 64 F</b>	<b>WSM 64 F</b>	<b>WSH 64 F</b>
1500 x 1000	500	<b>WSL 65 F</b>	<b>WSM 65 F</b>	<b>WSH 65 F</b>
1500 x 1000	650	<b>WSL 66 F</b>	<b>WSM 66 F</b>	<b>WSH 66 F</b>
1500 x 1000	800	<b>WSL 68 F</b>	<b>WSM 68 F</b>	<b>WSH 68 F</b>
1500 x 1000	1000	<b>WSL 610 F</b>	<b>WSM 610 F</b>	<b>WSH 610 F</b>



On request:

- Welded cardholder
- Embossed or painted text, trademarks, and logos.

**Item code**  
**WSL 28 SA**

**Mesh containers - With long side skid (SA)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>WSL 14 SA</b>	<b>WSM 14 SA</b>	<b>WSH 14 SA</b>
800 x 600	500	<b>WSL 15 SA</b>	<b>WSM 15 SA</b>	<b>WSH 15 SA</b>
1000 x 800	400	<b>WSL 24 SA</b>	<b>WSM 24 SA</b>	<b>WSH 24 SA</b>
1000 x 800	500	<b>WSL 25 SA</b>	<b>WSM 25 SA</b>	<b>WSH 25 SA</b>
1000 x 800	650	<b>WSL 26 SA</b>	<b>WSM 26 SA</b>	<b>WSH 26 SA</b>
1000 x 800	800	<b>WSL 28 SA</b>	<b>WSM 28 SA</b>	<b>WSH 28 SA</b>
1200 x 800	400	<b>WSL 34 SA</b>	<b>WSM 34 SA</b>	<b>WSH 34 SA</b>
1200 x 800	500	<b>WSL 35 SA</b>	<b>WSM 35 SA</b>	<b>WSH 35 SA</b>
1200 x 800	650	<b>WSL 36 SA</b>	<b>WSM 36 SA</b>	<b>WSH 36 SA</b>
1200 x 800	800	<b>WSL 38 SA</b>	<b>WSM 38 SA</b>	<b>WSH 38 SA</b>
1200 x 1000	400	<b>WSL 44 SA</b>	<b>WSM 44 SA</b>	<b>WSH 44 SA</b>
1200 x 1000	500	<b>WSL 45 SA</b>	<b>WSM 45 SA</b>	<b>WSH 45 SA</b>
1200 x 1000	650	<b>WSL 46 SA</b>	<b>WSM 46 SA</b>	<b>WSH 46 SA</b>
1200 x 1000	800	<b>WSL 48 SA</b>	<b>WSM 48 SA</b>	<b>WSH 48 SA</b>
1200 x 1000	1000	<b>WSL 410 SA</b>	<b>WSM 410 SA</b>	<b>WSH 410 SA</b>
1500 x 800	400	<b>WSL 54 SA</b>	<b>WSM 54 SA</b>	<b>WSH 54 SA</b>
1500 x 800	500	<b>WSL 55 SA</b>	<b>WSM 55 SA</b>	<b>WSH 55 SA</b>
1500 x 800	650	<b>WSL 56 SA</b>	<b>WSM 56 SA</b>	<b>WSH 56 SA</b>
1500 x 800	800	<b>WSL 58 SA</b>	<b>WSM 58 SA</b>	<b>WSH 58 SA</b>
1500 x 800	1000	<b>WSL 510 SA</b>	<b>WSM 510 SA</b>	<b>WSH 510 SA</b>
1500 x 1000	400	<b>WSL 64 SA</b>	<b>WSM 64 SA</b>	<b>WSH 64 SA</b>
1500 x 1000	500	<b>WSL 65 SA</b>	<b>WSM 65 SA</b>	<b>WSH 65 SA</b>
1500 x 1000	650	<b>WSL 66 SA</b>	<b>WSM 66 SA</b>	<b>WSH 66 SA</b>
1500 x 1000	800	<b>WSL 68 SA</b>	<b>WSM 68 SA</b>	<b>WSH 68 SA</b>
1500 x 1000	1000	<b>WSL 610 SA</b>	<b>WSM 610 SA</b>	<b>WSH 610 SA</b>



On request:

- Welded cardholder
- Embossed or painted text, trademarks, and logos.

**Item code**  
**WSL 28 FDA**

**Mesh containers - With boxed foot (F) + long side door (DA)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>WSL 14 FDA</b>	<b>WSM 14 FDA</b>	<b>WSH 14 FDA</b>
800 x 600	500	<b>WSL 15 FDA</b>	<b>WSM 15 FDA</b>	<b>WSH 15 FDA</b>
1000 x 800	400	<b>WSL 24 FDA</b>	<b>WSM 24 FDA</b>	<b>WSH 24 FDA</b>
1000 x 800	500	<b>WSL 25 FDA</b>	<b>WSM 25 FDA</b>	<b>WSH 25 FDA</b>
1000 x 800	650	<b>WSL 26 FDA</b>	<b>WSM 26 FDA</b>	<b>WSH 26 FDA</b>
1000 x 800	800	<b>WSL 28 FDA</b>	<b>WSM 28 FDA</b>	<b>WSH 28 FDA</b>
1200 x 800	400	<b>WSL 34 FDA</b>	<b>WSM 34 FDA</b>	<b>WSH 34 FDA</b>
1200 x 800	500	<b>WSL 35 FDA</b>	<b>WSM 35 FDA</b>	<b>WSH 35 FDA</b>
1200 x 800	650	<b>WSL 36 FDA</b>	<b>WSM 36 FDA</b>	<b>WSH 36 FDA</b>
1200 x 800	800	<b>WSL 38 FDA</b>	<b>WSM 38 FDA</b>	<b>WSH 38 FDA</b>
1200 x 1000	400	<b>WSL 44 FDA</b>	<b>WSM 44 FDA</b>	<b>WSH 44 FDA</b>
1200 x 1000	500	<b>WSL 45 FDA</b>	<b>WSM 45 FDA</b>	<b>WSH 45 FDA</b>
1200 x 1000	650	<b>WSL 46 FDA</b>	<b>WSM 46 FDA</b>	<b>WSH 46 FDA</b>
1200 x 1000	800	<b>WSL 48 FDA</b>	<b>WSM 48 FDA</b>	<b>WSH 48 FDA</b>
1200 x 1000	1000	<b>WSL 410 FDA</b>	<b>WSM 410 FDA</b>	<b>WSH 410 FDA</b>
1500 x 800	400	<b>WSL 54 FDA</b>	<b>WSM 54 FDA</b>	<b>WSH 54 FDA</b>
1500 x 800	500	<b>WSL 55 FDA</b>	<b>WSM 55 FDA</b>	<b>WSH 55 FDA</b>
1500 x 800	650	<b>WSL 56 FDA</b>	<b>WSM 56 FDA</b>	<b>WSH 56 FDA</b>
1500 x 800	800	<b>WSL 58 FDA</b>	<b>WSM 58 FDA</b>	<b>WSH 58 FDA</b>
1500 x 800	1000	<b>WSL 510 FDA</b>	<b>WSM 510 FDA</b>	<b>WSH 510 FDA</b>
1500 x 1000	400	<b>WSL 64 FDA</b>	<b>WSM 64 FDA</b>	<b>WSH 64 FDA</b>
1500 x 1000	500	<b>WSL 65 FDA</b>	<b>WSM 65 FDA</b>	<b>WSH 65 FDA</b>
1500 x 1000	650	<b>WSL 66 FDA</b>	<b>WSM 66 FDA</b>	<b>WSH 66 FDA</b>
1500 x 1000	800	<b>WSL 68 FDA</b>	<b>WSM 68 FDA</b>	<b>WSH 68 FDA</b>
1500 x 1000	1000	<b>WSL 610 FDA</b>	<b>WSM 610 FDA</b>	<b>WSH 610 FDA</b>



On request:

- Welded cardholder
- Embossed or painted text, trademarks, and logos.

**Item code**  
**WSL 28 SADA**

**Mesh containers - With long side skid (SA) + long side door (DA)**



Base (mm)	Usable height (mm)	Light series - Capacity 1200 kg	Medium series - Capacity 1700 kg	Heavy series - Capacity 2200 kg
800 x 600	400	<b>WSL 14 SADA</b>	<b>WSM 14 SADA</b>	<b>WSH 14 SADA</b>
800 x 600	500	<b>WSL 15 SADA</b>	<b>WSM 15 SADA</b>	<b>WSH 15 SADA</b>
1000 x 800	400	<b>WSL 24 SADA</b>	<b>WSM 24 SADA</b>	<b>WSH 24 SADA</b>
1000 x 800	500	<b>WSL 25 SADA</b>	<b>WSM 25 SADA</b>	<b>WSH 25 SADA</b>
1000 x 800	650	<b>WSL 26 SADA</b>	<b>WSM 26 SADA</b>	<b>WSH 26 SADA</b>
1000 x 800	800	<b>WSL 28 SADA</b>	<b>WSM 28 SADA</b>	<b>WSH 28 SADA</b>
1200 x 800	400	<b>WSL 34 SADA</b>	<b>WSM 34 SADA</b>	<b>WSH 34 SADA</b>
1200 x 800	500	<b>WSL 35 SADA</b>	<b>WSM 35 SADA</b>	<b>WSH 35 SADA</b>
1200 x 800	650	<b>WSL 36 SADA</b>	<b>WSM 36 SADA</b>	<b>WSH 36 SADA</b>
1200 x 800	800	<b>WSL 38 SADA</b>	<b>WSM 38 SADA</b>	<b>WSH 38 SADA</b>
1200 x 1000	400	<b>WSL 44 SADA</b>	<b>WSM 44 SADA</b>	<b>WSH 44 SADA</b>
1200 x 1000	500	<b>WSL 45 SADA</b>	<b>WSM 45 SADA</b>	<b>WSH 45 SADA</b>
1200 x 1000	650	<b>WSL 46 SADA</b>	<b>WSM 46 SADA</b>	<b>WSH 46 SADA</b>
1200 x 1000	800	<b>WSL 48 SADA</b>	<b>WSM 48 SADA</b>	<b>WSH 48 SADA</b>
1200 x 1000	1000	<b>WSL 410 SADA</b>	<b>WSM 410 SADA</b>	<b>WSH 410 SADA</b>
1500 x 800	400	<b>WSL 54 SADA</b>	<b>WSM 54 SADA</b>	<b>WSH 54 SADA</b>
1500 x 800	500	<b>WSL 55 SADA</b>	<b>WSM 55 SADA</b>	<b>WSH 55 SADA</b>
1500 x 800	650	<b>WSL 56 SADA</b>	<b>WSM 56 SADA</b>	<b>WSH 56 SADA</b>
1500 x 800	800	<b>WSL 58 SADA</b>	<b>WSM 58 SADA</b>	<b>WSH 58 SADA</b>
1500 x 800	1000	<b>WSL 510 SADA</b>	<b>WSM 510 SADA</b>	<b>WSH 510 SADA</b>
1500 x 1000	400	<b>WSL 64 SADA</b>	<b>WSM 64 SADA</b>	<b>WSH 64 SADA</b>
1500 x 1000	500	<b>WSL 65 SADA</b>	<b>WSM 65 SADA</b>	<b>WSH 65 SADA</b>
1500 x 1000	650	<b>WSL 66 SADA</b>	<b>WSM 66 SADA</b>	<b>WSH 66 SADA</b>
1500 x 1000	800	<b>WSL 68 SADA</b>	<b>WSM 68 SADA</b>	<b>WSH 68 SADA</b>
1500 x 1000	1000	<b>WSL 610 SADA</b>	<b>WSM 610 SADA</b>	<b>WSH 610 SADA</b>

## Mesh containers


Mesh containers with wheels



Item code  
**SR047 CR**



ITEM CODE	Width x Depth (mm)	Internal height (mm)	Capacity (kg)
<b>SR047 CR</b>	1000 x 800	600	800
<b>SR128 CR</b>	1200 x 800	600	800
<b>SR129 CR</b>	1500 x 800	600	800



Also available in the version with sheet metal walls.




Item code  
**SL047 CR**



Item code  
**ST134**

Frame with wheels for container handling

ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>ST 134</b>	830	530	240	800
<b>ST 135</b>	830	630	240	800
<b>ST 136</b>	1030	830	240	800
<b>ST 137</b>	1230	830	240	800
<b>ST 138</b>	1230	1030	240	800



Frame with wheels also available for sheet metal containers.

## **Mesh containers**

Gitterbox model mesh containers



**Item code**  
**SR 12815**

ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	Width	Depth	Height	
<b>SR12815</b>	1225	820	970	1000



Available on request with removable cardholder (**item code PCLI/310210Z**).


## **Mesh containers**

Foldable, stackable mesh containers

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SR 159</b>	1000	800	620	100	45	1000
<b>SR 160</b>	1200	800	620	100	45	1000
<b>SR 161</b>	1200	1000	820	100	45	1000
<b>SR 162</b>	1500	1000	970	100	45	1000



**Item code**  
**SR159**




## **Mesh containers**

Foldable mesh side panels



**Item code**  
**SR 156**

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SR 156</b>	1215	815	800	100	40	1000





ITEM CODE	DIMENSIONS (mm)				Capacity (kg)
	A	B	C	D	
<b>SR 163</b>	1000	1000	1100	60	-



Complete with:

- Tech mesh side for operator protection, equipped with a gas cylinder to facilitate opening and closing, also simplifying product storage when not in use
- Automatically closing, anti-vibration access door, opening only inward and featuring a safety lock
- Non-slip and anti-static safety rubber floor
- Shock-resistant polystyrene tool tray
- Safety device to prevent accidental fork slippage
- Attachments for using seat belts (not included).

#### FORKS TRUCK SCHEME



Available with slip-proof antistatic rubber base.



Available on request with wheels: 2 fixed and 2 swivel with brake (**item code SR 163 CR**).

## METAL PALLET AND PLATFORMS

### a. *Open post pallets*

The open post pallets are high-capacity metal pallets that allow for handling with a forklift and vertical storage of bulky goods and materials in a warehouse. All stackable pallets feature a robust and durable steel structure with free-standing posts at the corners and are available in various versions.




## Open post pallets

Open post pallets with feet



**Item code  
SP051**



ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SP051</b>	1000	800	580	120	40	1000
<b>SP180</b>	1000	800	800	120	40	1000
<b>SP053</b>	1200	800	580	120	40	1000
<b>SP181</b>	1200	800	800	120	40	1000
<b>SP054</b>	1200	1000	580	120	40	1000
<b>SP182</b>	1200	1000	800	120	40	1000
<b>SP144</b>	1500	800	580	120	40	1000




## Open post pallets

Open post pallets with skids




ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SP050</b>	1000	800	600	120	60	1500
<b>SP184</b>	1000	800	800	150	60	1500
<b>SP141</b>	1200	800	600	150	60	1500
<b>SP185</b>	1200	800	800	150	60	1500
<b>SP142</b>	1200	1000	600	150	60	1500
<b>SP186</b>	1200	1000	800	150	60	1500
<b>SP143</b>	1500	800	600	150	60	1500
<b>SP183</b>	1500	1000	600	150	60	1500

! Available on request with a foot with a cup at the base.




**Item code  
SP050**

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SP049</b>	1000	800	610	150	110	1500
<b>SP139</b>	1200	800	610	150	110	1500
<b>SP140</b>	1200	1000	610	150	110	1500



**Item code  
SP049**

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SP211</b>	1000	800	610	110	90	2000
<b>SP212</b>	1200	800	610	110	90	2000
<b>SP213</b>	1200	1000	610	110	90	2000
<b>SP214</b>	1500	800	610	110	90	2000
<b>SP215</b>	1500	1000	610	110	90	2000



**Item code  
SP211**


## Open post pallets

Open post pallets with removable wooden deck



Item code  
**SP052**

ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SP052</b>	1000	800	565	120	40	1000
<b>SP145</b>	1200	800	565	120	40	1000
<b>SP146</b>	1200	1000	565	120	40	1000
<b>SP147</b>	1500	800	565	120	40	1000



## Open post pallets

Pallets with detachable posts




ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SP 11493</b>	1500	790	1100	1000



A particularly versatile pallet. The uprights are easily removable by hand from their slots. Once removed and placed in the designated compartments, they help optimize space during storage and transportation.





Item code  
**SP 11493**





Certified models for being:





- Liftable with crane or overhead crane
- Customisable with sheet metal base, wheels (excluding **item code SP6000**) and fork lift brackets
- Ability to close the internal sides with sheet metal or mesh walls and/or crossbars for storing small tubes/bars
- Stackable 1 + 2.



ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SP055</b>	2000	560	500	100	60	2000
<b>SP056</b>	3000	560	500	100	60	3000



Item code  
**SP056L**




ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
<b>SP056L</b>	4000	560	500	100	60	3000
<b>SP6000</b>	4000	800	490	120	70	6000

## Open post pallets

Foldable, stackable pallets



ITEM CODE	DIMENSIONS (mm)							Capacity (kg)
	A	B	C	D	E	F	G	
SP 157	1200	800	800	150	50	1290	890	800
SP 158	1200	1000	800	150	50	1290	1090	800



Item code  
SP 157



## Open post pallets

Sides for wooden pallets



Item code  
SPAB215



ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	Larg.	Prof.	Alt.	
SPAB215	1208	808	980	1000

\* For Europallet.



## Open post pallets


Fabric storage pallets



ITEM CODE	DIMENSIONS (mm)					Capacity (kg)
	A	B	C	D	E	
SP149	1500	800	800	120	60	1000
SP151	1500	1000	800	120	60	1000



• Stackable.



Item code  
SP149



## METAL PALLETS AND PLATFORMS

**b.**  
*Metal  
platforms*

Ideal for the transportation, handling, and storage of heavy goods and materials in a warehouse, Sall platforms are made of carbon steel and are available in galvanized or powder-coated finishes. They are perfect for heavy loads, logistics, and sectors that require high strength, durability, and capacity.




## Metal platforms


Metal platforms with 2 skids



**Item code  
SPN060**  
(cross braces)



ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SPN060</b>	1000	800	120	1000
<b>SPN062</b>	1200	800	120	1000
<b>SPN068</b>	1200	1000	120	1000




ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SP060</b>	1000	800	120	1500
<b>SP062</b>	1200	800	120	1500
<b>SP068</b>	1200	1000	120	1500



**Item code  
SP060**  
(longitudinal braces)




**Item code  
SP070**  
(sheet metal bottom +  
wooden top)



ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SP070</b>	1000	800	120	1500
<b>SP071</b>	1200	800	120	1500
<b>SP072</b>	1200	1000	120	1500



**Item code  
SPN070**  
(sheet metal bottom +  
wooden top)




## Metal platforms


Metal platforms with 3 skids



**Item code  
SPN061**  
(cross braces)



ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SPN061</b>	1000	800	120	1500
<b>SPN063</b>	1200	800	120	1500
<b>SPN069</b>	1200	1000	120	1500



ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SP061</b>	1000	800	120	2000
<b>SP063</b>	1200	800	120	2000
<b>SP069</b>	1200	1000	120	2000




**Item code  
SP061**  
(longitudinal braces)

## Metal platforms

Reversible double-bottom metal platforms



**Item code  
SP073**



ITEM CODE	DIMENSIONS (mm)			Capacity (kg)
	A	B	C	
<b>SP 073</b>	1000	800	180	2000
<b>SP 074</b>	1200	800	180	2000
<b>SP 075</b>	1200	1000	180	2000



### IMPORTANT

The pallets must always be handled one at a time. They are specifically designed to be lifted and moved with a pallet jack or forklift; always perform lifting movements with the forks tilted towards the operator.

# CABINETS AND STORAGE UNITS FOR GAS CYLINDERS

## a. *Boxes and storage units for gas cylinders*

The extensive Sall range offers cylinder storage units and boxes configured as cages and modular storage units equipped with anti-intrusion locks, designed to ensure compliant and secure storage of up to 36 cylinders. All models are customizable in terms of size and accessories. For specific requirements, made-to-measure cylinder storage units can be created.



## Boxes and storage units for gas cylinders

Safety storage units for compressed gas cylinders




**Item code  
PANDESA 3**

ITEM CODE	External dimensions W x D x H (mm)	Cylinder capacity	Load capacity (kg)
<b>PANDESA 3</b>	960 x 880 x 2400	3 gas cylinders	262
<b>PANDESA 6</b>	1760 x 880 x 2400	6 gas cylinders	377
<b>PANDESA 6+3</b>	2640 x 880 x 2400	9 gas cylinders	568
<b>PANDESA 10</b>	1760 x 1680 x 2400	10 gas cylinders	550




Certified by the Ministry of the Interior, Cert. no. 3804/30/91.




**Item code  
PANDESA 3**



**Item code  
PANDESA 6**



**Item code  
PANDESA 6+3**




**Item code  
PANDESA 10**



**Item code  
PBO 15 SB Z**

**Item code  
PBO 15 CB Z**

Ramp available upon  
request  
**(item code  
RAPBO 15 Z)**



ITEM CODE	External dimensions W x D x H (mm)	Cylinder capacity
<b>PBO 15 SB Z</b> Without base	1550 x 1210 x 2285	1 pallet + 4 gas cylinders or 2 compartments, each with 3 rows of 4 gas cylinders
<b>PBO 15 CB Z</b> With base	1550 x 1210 x 2450	1 pallet + 4 gas cylinders or 2 compartments, each with 3 rows of 4 gas cylinders
<b>PBO 30 SB Z</b> Without base	3180 x 1600 x 2285	2 pallets + 8 gas cylinders or 4 compartments, each with 3 rows of 4 gas cylinders
<b>PBO 30 CB Z</b> With base	3180 x 1600 x 2450	2 pallets + 8 gas cylinders or 4 compartments, each with 3 rows of 4 gas cylinders

## Boxes and storage units for gas cylinders



Safety storage units for compressed gas cylinders



**Item code  
PBO 11 CBZ**

Ramp available upon request  
**(item code  
RAPBO 11 CBZ)**

Removable shelf available upon request for storing small-sized cylinders  
**(item code  
PBO 11 CBZ/1R)**



ITEM CODE	PBO 11 CBZ	PBO 23 CBZ	PBO 35 CBZ
Number of 50L cylinders, diameter 230 mm	12	24	36
Width x Depth x Height (mm)	960 x 1130 x 2100	960 x 2300 x 2100	960 x 3500 x 2100

## Boxes and storage units for gas cylinders

Safety cabinets for compressed ga cylinders

**Safety cabinets for the storage of compressed gas cylinders with fire resistance class G for 30 minutes, certified according to EN 14470-2, EN 16121, REPORT LAPI no. 771.0, EN 0150/13.**



- Customisable with:
- Spark-proof extractor in a metal box (**item code DIAM 125 BP**)
  - Activated carbon filter (**item code R SOL**)
  - Internal or external automatic fire extinguisher (**item code ESTINTORE**).

**Item code  
B 120 G30**



**Item code  
B 60 G30**



ITEM CODE	External dimensions W x D x H (mm)	Door	Cylinder capacity
<b>B60 G30</b>	590 x 600 x 2050	Single door	1/2
<b>B120 G30</b>	1190 x 600 x 2050	Double door	3/4



## CABINETS AND STORAGE UNITS FOR GAS CYLINDERS

### b. *Pallets for transporting gas cylinders*

The gas cylinder baskets produced by Sall are specific pallets for the storage and transportation of gas cylinders, designed to be safely handled by both forklifts and cranes. Made with a robust hot-dip galvanized steel structure, they are equipped with a fastening bracket and a safety device to prevent accidental falls of gas cylinders during transport, thereby maximizing safety levels.

## Pallets for transporting gas cylinders

Pallets for transporting compressed gas cylinders



Item code  
PBO 04Z



Item code  
PBO 08Z

Item code  
PBO 12Z


ITEM CODE	Number of cylinders Ø 230 mm	External dimensions W x D x H (mm)
PBO 04Z	4	860 x 650 x 1115
PBO 08Z	8	860 x 1170 x 1115
PBO 012Z	12	1030 x 805 x 1225



Equipped with an automatic closing safety device.  
In the **PBO12Z model** the access ramp, once closed, becomes a protective side..

## Pallets for transporting gas cylinders

Trolleys and supports for compressed gas cylinders



Item code  
PBP 02 Z

Wall support for  
2 cylinders



Item code  
CABO 12 RZ

Item code  
CABO 23 RZ

Steel trolley for cylinders



ITEM CODE	Number of cylinders Ø 250 mm	External dimensions W x D x H (mm)
PBP 02 Z	2	860 x 60 x 115
CABO 23 RZ	2	780 x 770 x 1290
CABO 12 RZ	1	490 x 460 x 1260




## CONTAINERS FOR WASTE COLLECTION

### a. **Big bag holders**

The Sall big bag holders ensure maximum safety during the filling, handling, and storage of big bags containing both industrial materials and hazardous substances or waste, such as in the case of big bag sacks. The stackable design and dismantlable structure allow for optimized storage space as well as minimized bulk and transport cost.





**Standard configuration**



ITEM CODE	Description	W x D x H (mm)	Capacity (kg)
SPBN 120 Z	Standard configuration: 4 standard sack hook terminals + 1 hot-dip galvanized or painted base + 4 galvanized (hot-dip) or painted uprights	1080 x 1080 x 1347	1000




- 1. EASY TO HANDLE
- 2. CONFIGURABLE thanks to a wide range of available accessories (see next page)
- 3. SUITABLE FOR BOTH INDOOR AND OUTDOOR USE due to the two available base versions (hot-dip galvanized and/or powder-coated).




### Accessories

ITEM CODE	Description
PALN120	Steel support plate
INSPLUS120	Plus insert with 3 sack attachment positions
SPON120	Single side panel
INSCAPN120	Sack hook terminal with cap
ALLN120	Removable upright extension 220 mm
PARN120	Mesh plate
CRMN120	Transport trolley
COPN120	Removable galvanized steel lid
VASN120	Movable basin



## **Big bag holders**

### Big bag holder pallets



#### **Standard configuration**



ITEM CODE	W x D x H (mm)	Capacity (kg)
SPB 120 Z	1070 x 1070 x 1350	1000

#### **Accessories**

ITEM CODE	W x D x H (mm)	Capacity (kg)	Volume (litres)
BBAG 1000 ONU	900 x 900 x 1200	1000	1000



Available upon request:

1. **Removable lid** with handles
2. ONU 3/Y certified **big bag** with a capacity of 1000 kg (certification "R" on a yellow bottom as per D.L. 52 of 03/02/1997, complete with internal liner).



## **Big bag holders**

Big bag holders with collection tray



- Carbon steel structure
- Removable uprights
- External corrosion-resistant treatment
- Available upon request in a painted version
- Also available upon request with wheels: 2 fixed and 2 swivel with brakes (**item code SPB122CR**).

**Item code  
SPB122Z**



**Item code  
SPB122CR**



ITEM CODE	W x D x H (mm)	Capacity (kg)	Volume (litres)
<b>SPB122A</b>	1000 x 1000 x 1860	1000	208
<b>SPB122Z</b>	1000 x 1000 x 1860	1000	208
<b>SPB122CRA</b>	1000 x 1000 x 1998	900	208
<b>SPB122CRZ</b>	1000 x 1000 x 1998	900	208

## **Big bag holders**


Big bag holders with lid

**Gas pistons**  
to assist the opening of the hinged upper door



**Item code  
SPB121**

ITEM CODE	External dimensions W x D x H (mm)	Capacity (kg)
<b>SPB121</b>	1100 x 1100 x 1360	1000



- Ideal for temporary storage of waste
- Made with a square-shaped base, supporting casing in carbon steel
- Labeling and safety symbols available upon request for product identification.

# PRODUCT INDEX

<b>A</b>		
ALLN120	p. 47	
		<b>MSH 35</b> pp. 18-19-20-21 <b>MSH 36</b> pp. 18-19-20-21 <b>MSH 38</b> pp. 18-19-20-21 <b>MSH 410</b> pp. 18-19-20-21 <b>MSH 44</b> pp. 18-19-20-21 <b>MSH 45</b> pp. 18-19-20-21 <b>MSH 46</b> pp. 18-19-20-21 <b>MSH 48</b> pp. 18-19-20-21 <b>MSH 510</b> pp. 18-19-20-21 <b>MSH 54</b> pp. 18-19-20-21 <b>MSH 55</b> pp. 18-19-20-21 <b>MSH 56</b> pp. 18-19-20-21 <b>MSH 58</b> pp. 18-19-20-21 <b>MSH 610</b> pp. 18-19-20-21 <b>MSH 64</b> pp. 18-19-20-21 <b>MSH 65</b> pp. 18-19-20-21 <b>MSH 66</b> pp. 18-19-20-21 <b>MSH 68</b> pp. 18-19-20-21 <b>MSL 14</b> pp. 18-19-20-21 <b>MSL 15</b> pp. 18-19-20-21 <b>MSL 24</b> pp. 18-19-20-21 <b>MSL 25</b> pp. 18-19-20-21 <b>MSL 26</b> pp. 18-19-20-21 <b>MSL 28</b> pp. 18-19-20-21 <b>MSL 34</b> pp. 18-19-20-21 <b>MSL 35</b> pp. 18-19-20-21 <b>MSL 36</b> pp. 18-19-20-21 <b>MSL 38</b> pp. 18-19-20-21 <b>MSL 40</b> pp. 18-19-20-21 <b>MSL 44</b> pp. 18-19-20-21 <b>MSL 45</b> pp. 18-19-20-21 <b>MSL 46</b> pp. 18-19-20-21 <b>MSL 48</b> pp. 18-19-20-21 <b>MSL 50</b> pp. 18-19-20-21 <b>MSL 54</b> pp. 18-19-20-21 <b>MSL 55</b> pp. 18-19-20-21 <b>MSL 56</b> pp. 18-19-20-21 <b>MSL 58</b> pp. 18-19-20-21 <b>MSL 610</b> pp. 18-19-20-21 <b>MSL 64</b> pp. 18-19-20-21 <b>MSL 65</b> pp. 18-19-20-21 <b>MSL 66</b> pp. 18-19-20-21 <b>MSL 68</b> pp. 18-19-20-21 <b>MSM 14</b> pp. 18-19-20-21 <b>MSM 15</b> pp. 18-19-20-21 <b>MSM 24</b> pp. 18-19-20-21 <b>MSM 25</b> pp. 18-19-20-21 <b>MSM 26</b> pp. 18-19-20-21 <b>MSM 28</b> pp. 18-19-20-21 <b>MSM 34</b> pp. 18-19-20-21 <b>MSM 35</b> pp. 18-19-20-21 <b>MSM 36</b> pp. 18-19-20-21 <b>MSM 38</b> pp. 18-19-20-21 <b>MSM 410</b> pp. 18-19-20-21 <b>MSM 44</b> pp. 18-19-20-21 <b>MSM 45</b> pp. 18-19-20-21 <b>MSM 46</b> pp. 18-19-20-21 <b>MSM 48</b> pp. 18-19-20-21 <b>MSM 510</b> pp. 18-19-20-21 <b>MSM 54</b> pp. 18-19-20-21 <b>MSM 55</b> pp. 18-19-20-21 <b>MSM 56</b> pp. 18-19-20-21 <b>MSM 58</b> pp. 18-19-20-21 <b>MSM 610</b> pp. 18-19-20-21
		<b>MSM 64</b> pp. 18-19-20-21 <b>MSM 65</b> pp. 18-19-20-21 <b>MSM 66</b> pp. 18-19-20-21 <b>MSM 68</b> pp. 18-19-20-21
<b>B</b>		
B120G30	p. 42	
B60G30	p. 42	
BBAG1000ONU	p. 48	
<b>C</b>		
CABO12RZ	p. 44	
CABO23RZ	p. 44	
CO60-380	p. 9	
COPN120	p. 47	
CRMN120	p. 47	
<b>D</b>		
DIAM125BP	p. 42	
<b>E</b>		
ESTINTORE	p. 42	
<b>I</b>		
INSCAPN120	p. 47	
INSPLUS120	p. 47	
<b>L</b>		
LT0280	p. 8	
LT0300	p. 8	
LT0450	p. 10	
LT0460	p. 10	
LT0470	p. 10	
LT0500	p. 8	
LT0750	p. 8	
LT1000	p. 8	
LT1350	p. 8	
LT1600	p. 8	
LT2000	p. 8	
LTR1350	p. 12	
LTR1600	p. 12	
LTR2000	p. 12	
<b>M</b>		
MSH 14	pp. 18-19-20-21	
MSH 15	pp. 18-19-20-21	
MSH 24	pp. 18-19-20-21	
MSH 25	pp. 18-19-20-21	
MSH 26	pp. 18-19-20-21	
MSH 28	pp. 18-19-20-21	
MSH 34	pp. 18-19-20-21	
		<b>P</b>
		PALN120 p. 47
		PANDESA10 p. 41
		PANDESA3 p. 41
		PANDESA6 p. 41
		PANDESA6+3 p. 41
		PARN120 p. 47
		PBO011CBZ p. 42
		PBO011CBZ/1R p. 42
		PBO04Z p. 44
		PBO08Z p. 44
		PBO12Z p. 44
		PBO15CBZ p. 41
		PBO15SBZ p. 41
		PBO23CBZ p. 42
		PBO30CBZ p. 41
		PBO30SBZ p. 41
		PBO35CBZ p. 42
		PBP02Z p. 44
		PCLI/310210Z p. 30
		<b>R</b>
		RSOL p. 42
		<b>S</b>
		SDC1000 p. 12
		SDC550 p. 12
		SDC750 p. 12
		SL011 p. 22
		SL018 p. 22
		SL047CR p. 29
		SL064H1000 p. 16
		SL064H1300 p. 16
		SL064H650 p. 16
		SL083 p. 22
		SL084 p. 22
		SL130 p. 22
		SL150AP p. 15
		SL150AR p. 15
		SL150BP p. 15
		SL150BR p. 15
		SL150CP p. 15
		SL150CR p. 15
		SL153A p. 16
		SL153B p. 16
		SL154A p. 15
		SL154B p. 15
		SL154C p. 15
		SL159 p. 23
		SL160 p. 23
		SL161 p. 23
		SL162 p. 23
		SL164R p. 13

<b>SL165P</b>	p. 13	<b>SPB122Z</b>	p. 49	<b>WSL 15</b>	pp. 25-26-27-28
<b>SL165PCR</b>	p. 13	<b>SPBN120Z</b>	p. 46	<b>WSL 24</b>	pp. 25-26-27-28
<b>SL167CR</b>	p. 13	<b>SPN060</b>	p. 38	<b>WSL 25</b>	pp. 25-26-27-28
<b>SL201</b>	p. 22	<b>SPN061</b>	p. 39	<b>WSL 26</b>	pp. 25-26-27-28
<b>SL406M</b>	p. 22	<b>SPN062</b>	p. 38	<b>WSL 28</b>	pp. 25-26-27-28
<b>SL406P</b>	p. 22	<b>SPN063</b>	p. 39	<b>WSL 34</b>	pp. 25-26-27-28
<b>SL407M</b>	p. 22	<b>SPN068</b>	p. 38	<b>WSL 35</b>	pp. 25-26-27-28
<b>SL407P</b>	p. 22	<b>SPN069</b>	p. 39	<b>WSL 36</b>	pp. 25-26-27-28
<b>SLC400</b>	p. 23	<b>SPN070</b>	p. 38	<b>WSL 38</b>	pp. 25-26-27-28
<b>SLC800</b>	p. 23	<b>SPN071</b>	p. 38	<b>WSL 410</b>	pp. 25-26-27-28
<b>SP049</b>	p. 33	<b>SPN072</b>	p. 38	<b>WSL 44</b>	pp. 25-26-27-28
<b>SP050</b>	p. 33	<b>SPON120</b>	p. 47	<b>WSL 45</b>	pp. 25-26-27-28
<b>SP051</b>	p. 33	<b>SR047CR</b>	p. 29	<b>WSL 46</b>	pp. 25-26-27-28
<b>SP052</b>	p. 34	<b>SR12815</b>	p. 30	<b>WSL 48</b>	pp. 25-26-27-28
<b>SP053</b>	p. 33	<b>SR128CR</b>	p. 29	<b>WSL 510</b>	pp. 25-26-27-28
<b>SP054</b>	p. 33	<b>SR129CR</b>	p. 29	<b>WSL 54</b>	pp. 25-26-27-28
<b>SP055</b>	p. 35	<b>SR156</b>	p. 30	<b>WSL 55</b>	pp. 25-26-27-28
<b>SP056</b>	p. 35	<b>SR159</b>	p. 30	<b>WSL 56</b>	pp. 25-26-27-28
<b>SP056L</b>	p. 35	<b>SR160</b>	p. 30	<b>WSL 58</b>	pp. 25-26-27-28
<b>SP060</b>	p. 38	<b>SR161</b>	p. 30	<b>WSL 610</b>	pp. 25-26-27-28
<b>SP061</b>	p. 39	<b>SR162</b>	p. 30	<b>WSL 64</b>	pp. 25-26-27-28
<b>SP062</b>	p. 38	<b>SR163</b>	p. 31	<b>WSL 65</b>	pp. 25-26-27-28
<b>SP063</b>	p. 39	<b>SR163CR</b>	p. 31	<b>WSL 66</b>	pp. 25-26-27-28
<b>SP068</b>	p. 38	<b>ST134</b>	p. 29	<b>WSL 68</b>	pp. 25-26-27-28
<b>SP069</b>	p. 39	<b>ST135</b>	p. 29	<b>WSM 14</b>	pp. 25-26-27-28
<b>SP070</b>	p. 38	<b>ST136</b>	p. 29	<b>WSM 15</b>	pp. 25-26-27-28
<b>SP071</b>	p. 38	<b>ST137</b>	p. 29	<b>WSM 24</b>	pp. 25-26-27-28
<b>SP072</b>	p. 38	<b>ST138</b>	p. 29	<b>WSM 25</b>	pp. 25-26-27-28
<b>SP073</b>	p. 39			<b>WSM 26</b>	pp. 25-26-27-28
<b>SP074</b>	p. 39			<b>WSM 28</b>	pp. 25-26-27-28
<b>SP075</b>	p. 39			<b>WSM 34</b>	pp. 25-26-27-28
<b>SP11493</b>	p. 34			<b>WSM 35</b>	pp. 25-26-27-28
<b>SP139</b>	p. 33	<b>VASN120</b>	p. 47	<b>WSM 36</b>	pp. 25-26-27-28
<b>SP140</b>	p. 33	<b>VR</b>	p. 11	<b>WSM 38</b>	pp. 25-26-27-28
<b>SP141</b>	p. 33			<b>WSM 410</b>	pp. 25-26-27-28
<b>SP142</b>	p. 33			<b>WSM 44</b>	pp. 25-26-27-28
<b>SP143</b>	p. 33			<b>WSM 45</b>	pp. 25-26-27-28
<b>SP144</b>	p. 33			<b>WSM 46</b>	pp. 25-26-27-28
<b>SP145</b>	p. 34			<b>WSM 48</b>	pp. 25-26-27-28
<b>SP146</b>	p. 34			<b>WSM 510</b>	pp. 25-26-27-28
<b>SP147</b>	p. 34			<b>WSM 54</b>	pp. 25-26-27-28
<b>SP149</b>	p. 36			<b>WSM 55</b>	pp. 25-26-27-28
<b>SP151</b>	p. 36			<b>WSM 56</b>	pp. 25-26-27-28
<b>SP157</b>	p. 36			<b>WSM 58</b>	pp. 25-26-27-28
<b>SP158</b>	p. 36			<b>WSM 610</b>	pp. 25-26-27-28
<b>SP180</b>	p. 33			<b>WSM 64</b>	pp. 25-26-27-28
<b>SP181</b>	p. 33			<b>WSM 65</b>	pp. 25-26-27-28
<b>SP182</b>	p. 33			<b>WSM 66</b>	pp. 25-26-27-28
<b>SP183</b>	p. 33			<b>WSM 68</b>	pp. 25-26-27-28
<b>SP184</b>	p. 33				
<b>SP185</b>	p. 33				
<b>SP186</b>	p. 33				
<b>SP211</b>	p. 33				
<b>SP212</b>	p. 33				
<b>SP213</b>	p. 33				
<b>SP214</b>	p. 33				
<b>SP215</b>	p. 33				
<b>SP6000</b>	p. 35				
<b>SPAB215</b>	p. 36				
<b>SPB120Z</b>	p. 48				
<b>SPB121</b>	p. 49				
<b>SPB122A</b>	p. 49				
<b>SPB122CRA</b>	p. 49				
<b>SPB122CRZ</b>	p. 49				

## W

<b>WSH 14</b>	pp. 25-26-27-28
<b>WSH 15</b>	pp. 25-26-27-28
<b>WSH 24</b>	pp. 25-26-27-28
<b>WSH 25</b>	pp. 25-26-27-28
<b>WSH 26</b>	pp. 25-26-27-28
<b>WSH 28</b>	pp. 25-26-27-28
<b>WSH 34</b>	pp. 25-26-27-28
<b>WSH 35</b>	pp. 25-26-27-28
<b>WSH 36</b>	pp. 25-26-27-28
<b>WSH 38</b>	pp. 25-26-27-28
<b>WSH 410</b>	pp. 25-26-27-28
<b>WSH 44</b>	pp. 25-26-27-28
<b>WSH 45</b>	pp. 25-26-27-28
<b>WSH 46</b>	pp. 25-26-27-28
<b>WSH 48</b>	pp. 25-26-27-28
<b>WSH 510</b>	pp. 25-26-27-28
<b>WSH 54</b>	pp. 25-26-27-28
<b>WSH 55</b>	pp. 25-26-27-28
<b>WSH 56</b>	pp. 25-26-27-28
<b>WSH 58</b>	pp. 25-26-27-28
<b>WSH 610</b>	pp. 25-26-27-28
<b>WSH 64</b>	pp. 25-26-27-28
<b>WSH 65</b>	pp. 25-26-27-28
<b>WSH 66</b>	pp. 25-26-27-28
<b>WSH 68</b>	pp. 25-26-27-28
<b>WSL 14</b>	pp. 25-26-27-28




Justrite Safety Group







Justrite Safety Group



#### **JUSTRITE ITALIA Srl**

Via dei Prati Vecchi, 37 - 42025 Cavriago (RE)  
Tel. +39 0522 941430 - [info@sall.it](mailto:info@sall.it) - [www.sall.it](http://www.sall.it)